

Name of Laboratory : CPF (Thailand) Laboratory, Phitsanulok,
CPF (Thailand) Public Company Limited

Address : 178 Moo 4, Phitsanulok-Lomsak Road, Tambon Samorkae,
Amphoe Mueang, Changwat Phitsanulok 65000

Accreditation Number : Testing – 0121

Contact Person : Mr. Kritsada Tankanya
Phone : 094-539-8790
Fax : -
E-mail : kritsada.tan@cpf.co.th

Initial Issue Date : 26th January 2015

Issue Date : 2nd January 2024

Expired date : 16th June 2026

Standard : ISO/IEC 17025:2017

Reference No. : 0303/5

Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Phitsanulok, CPF (Thailand) Public Company Limited

Address : 178 Moo 4, Phitsanulok-Lomsak Road, Tambon Samorkae,
Amphoe Mueang, Changwat Phitsanulok 65000

Accreditation Number : Testing - 0121

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Feed	- Moisture 9.70 g/100 g to 13.3 g/100 g - Crude protein 12.2 g/100 g to 23.8 g/100 g - Fat 3.60 g/100 g to 8.90 g/100 g - Crude fiber 1.60 g/100 g to 6.30 g/100 g	ISO 12099 : 2017
2	Feed material	- Moisture 9.80 g/100 g to 15.0 g/100 g - Crude protein 1.70 g/100 g to 87.2 g/100 g	ISO 12099 : 2017

Initial Issue Date 26th January 2015

Issue Number 8

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Phitsanulok, CPF (Thailand) Public Company Limited

Address : 178 Moo 4, Phitsanulok-Lomsak Road, Tambon Samorkae,
Amphoe Mueang, Changwat Phitsanulok 65000

Accreditation Number : Testing - 0121

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Feed material	- Fat 1.60 g/100 g to 22.1 g/100 g	ISO 12099 : 2017
3	Corn	- Crude fiber 1.50 g/100 to 20.9 g/100 g	
		- Moisture 11.9 g/100 g to 21.8 g/100 g	- ISO 12099 : 2017 - In – house method : PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)
		- Moisture 13.4 g/100 g to 19.1 g/100 g	- In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - In – house method : PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)

Initial Issue Date 26th January 2015

Issue Number 8

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Phitsanulok, CPF (Thailand) Public Company Limited

Address : 178 Moo 4, Phitsanulok-Lomsak Road, Tambon Samorkae,
Amphoe Mueang, Changwat Phitsanulok 65000

Accreditation Number : Testing - 0121

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
4	Rice bran fine	- Moisture 9.80 g/100 g to 10.1 g/100 g - Crude protein 11.7 g/100 g to 13.6 g/100 g - Fat 15.2 g/100 g to 19.7 g/100 g	- ISO 12099 : 2017 - In – house method : PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)
		- Moisture 9.80 g/100 g to 10.1 g/100 g - Crude protein 11.7 g/100 g to 13.6 g/100 g - Fat 15.2 g/100 g to 19.3 g/100 g	- In-house method : CTL-TE-NIRC-02 base on ISO 12099 : 2017 - In-house method PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)

Initial Issue Date 26th January 2015

Issue Number 8

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Phitsanulok, CPF (Thailand) Public Company Limited

Address : 178 Moo 4, Phitsanulok-Lomsak Road, Tambon Samorkae,
Amphoe Mueang, Changwat Phitsanulok 65000

Accreditation Number : Testing - 0121

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
5	Soy bean meal	- Crude protein 46.6 g/100 g to 48.8 g/100 g	- In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - In – house method : PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)
6	Feather meal	- Crude protein 80.9 g/100 g to 87.2 g/100 g	- In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - In – house method : PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)
7	Paddy	- Moisture 11.5 g/100 g to 13.8 g/100 g	- In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - In – house method : PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)

Initial Issue Date 26th January 2015

Issue Number 8

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Phitsanulok, CPF (Thailand) Public Company Limited

Address : 178 Moo 4, Phitsanulok-Lomsak Road, Tambon Samorkae,
Amphoe Mueang, Changwat Phitsanulok 65000

Accreditation Number : Testing - 0121

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
8	Broken rice	- Moisture 12.7 g/100 g to 13.8 g/100 g	- In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - In – house method : PLF-WI-703-01-01 based on ISO 24333 : 2009 (Sampling)

Initial Issue Date 26th January 2015

Issue Number 8

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation