

Name of Laboratory : CPF (Thailand) Laboratory, Sriracha, CPF (Thailand) Public Company Limited  
Address : 242/4 Moo 10, Sukhumvit Road, Tambon Bangpra,  
Amphoe Sriracha, Changwat Chonburi 20110  
Accreditation Number : Testing - 0150  
Contact Person : Mr. Rachan Smitasiri  
Phone : 038-341-127 Ext. 203-204  
Fax : 038-341277  
Email : rachan.s@cpf.co.th  
Initial Issue Date : 15<sup>th</sup> March 2017  
Issue Date : 28<sup>th</sup> September 2022  
Expired date : 27<sup>th</sup> September 2026  
Standard : ISO/IEC 17025:2017  
Reference No. : 0303/14617

## Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Sriracha, CPF (Thailand) Public Company Limited

Address : 242/4 Moo 10, Sukhumvit Road, Tambon Bangpra,  
Amphoe Sriracha, Changwat Chonburi 20110

Accreditation Number : Testing - 0150

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Feed	- Moisture 9.80 g/100 g to 13.1 g/100 g  - Crude protein 12.1 g/100 g to 23.8 g/100 g  - Fat 2.90 g/100 g to 9.40 g/100 g  - Crude fiber 1.60 g/100 g to 6.10 g/100 g	ISO 12099 : 2017
2	Feed material	- Moisture 9.80 g/100 g to 13.4 g/100 g  - Crude protein 2.00 g/100 g to 39.4 g/100 g	ISO 12099 : 2017

Initial Issue Date 15<sup>th</sup> March 2017

Issue Number 6

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Sriracha, CPF (Thailand) Public Company Limited

Address : 242/4 Moo 10, Sukhumvit Road, Tambon Bangpra,  
Amphoe Sriracha, Changwat Chonburi 20110

Accreditation Number : Testing - 0150

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Feed material	- Fat 1.60 g/100 g to 22.1 g/100 g  - Crude fiber 1.50 g/100 g to 11.4 g/100 g	ISO 12099 : 2017
3	Corn	- Moisture 13.0 g/100 g to 15.2 g/100 g	- ISO 12099 : 2017 - In – house method : SRF-QP-703-01 based on ISO 24333 : 2009 (Sampling)
4	Rice bran fine	- Moisture 9.80 g/100 g to 10.3 g/100 g  - Crude protein 10.4 g/100 g to 13.6 g/100 g	- ISO12099 : 2017 - ISO 24333 : 2009 (Sampling)

Initial Issue Date 15<sup>th</sup> March 2017

Issue Number 6

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Sriracha, CPF (Thailand) Public Company Limited

Address : 242/4 Moo 10, Sukhumvit Road, Tambon Bangpra,  
Amphoe Sriracha, Changwat Chonburi 20110

Accreditation Number : Testing - 0150

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
4 (cont.)	Rice bran fine	- Fat 11.9 g/100 g to 19.7 g/100 g  - Crude fiber 3.40 g/100 g to 7.30 g/100 g  - Moisture 9.80 g/100 g to 10.3 g/100 g  - Crude protein 12.0 g/100 g to 12.7 g/100 g  - Fat 14.4 g/100 g to 16.6 g/100 g  - Crude fiber 5.70 g/100 g to 6.90 g/100 g	- ISO12099 : 2017 - ISO 24333 : 2009 (Sampling)  - In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - ISO 24333 : 2009 (Sampling)

Initial Issue Date 15<sup>th</sup> March 2017

Issue Number 6

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Laboratory Accreditation

Laboratory Name : CPF (Thailand) Laboratory, Sriracha, CPF (Thailand) Public Company Limited

Address : 242/4 Moo 10, Sukhumvit Road, Tambon Bangpra,  
Amphoe Sriracha, Changwat Chonburi 20110

Accreditation Number : Testing - 0150

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
5	Broken rice	- Moisture 11.9 g/100 g to 14.5 g/100 g	- ISO 12099 : 2017 - ISO 24333 : 2009 (Sampling)
		- Moisture 11.9 g/100 g to 13.7 g/100 g	- In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - ISO 24333 : 2009 (Sampling)
6	Soy bean meal	- Crude protein 46.1 g/100 g to 48.8 g/100 g	- ISO 12099 : 2017 - ISO 24333 : 2009 (Sampling)
		- Crude protein 46.7 g/100 g to 47.9 g/100 g	- In – house method : CTL-TE-NIRC-02 based on ISO 12099 : 2017 - ISO 24333 : 2009 (Sampling)

Initial Issue Date 15<sup>th</sup> March 2017

Issue Number 6

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation