

Name of Laboratory : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.
Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
Amphoe Sriracha, Changwat Chonburi 20230
Accreditation Number : Testing - 0159
Contact Person : Mr. Santi Prabnarong / Miss Maliket Lekawatjakul
Phone : 0-3848-1197, 0-3876-3031-2, 081-865-6793
Fax : 0-3848-2095
Email : santi@etc1992.com, malikato@etc1992.com
Initial Issue Date : 21st November 2017
Issue Date : 7th November 2023
Expired date : 6th November 2027
Standard : ISO/IEC 17025:2017
Reference No. : 0303/18183

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.

Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Water	- COD 40 mg/L to 5 000 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 5220 C
		- Mercury 0.001 mg/L to 0.02 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 3112 B
		- BOD 2 mg/L to 5 000 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 5210 B

Initial Issue Date 21st November 2017

Issue Number 4

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.

Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Water	- Total dissolved solids dried at 180 °C 25 mg/L to 10 000 mg/L - Total suspended solids dried from 103 °C to 105 °C 5 mg/L to 2 000 mg/L - Fluoride 0.5 mg/L to 10 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 2540 C Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 2540 D Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 4500-F C

Initial Issue Date 21st November 2017

Issue Number 4

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.

Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2	Wastewater	- COD 40 mg/L to 5 000 mg/L - Mercury 0.001 mg/L to 0.02 mg/L - BOD 2 mg/L to 5 000 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 5220 C Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 3112 B Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 5210 B

Initial Issue Date 21st November 2017

Issue Number 4

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Eastern Thai Consulting 1992 Co., Ltd.

Address : 683 Moo 11, Sukhapibarn 8 Road, Tambon Nongkham,
Amphoe Sriracha, Changwat Chonburi 20230

Accreditation Number : Testing - 0159

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Wastewater	- Total dissolved solids dried at 180 °C 25 mg/L to 10 000 mg/L - Total suspended solids dried from 103 °C to 105 °C 5 mg/L to 2 000 mg/L - Fluoride 0.5 mg/L to 10 mg/L	Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 2540 C Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 2540 D Standard Methods for the Examination of Water and Wastewater, APHA, AWWA & WEF, 23 rd ed., 2017, part 4500-F C

Initial Issue Date 21st November 2017

Issue Number 4

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation