

Name of Laboratory : STR Testing Laboratory, Nteq polymer Co., Ltd.  
Accreditation Number : Testing - 0181  
Address : 319 Moo 16, Chayangkul Road, Tambon Khampalai,  
Amphoe Mueang, Changwat Mukdahan 49000  
Contact Person : Piyanuch Khotaraviang  
Phone : 081-7088703, 088-5482324  
Fax : -  
E-mail : [quality@nteq-polymer.com](mailto:quality@nteq-polymer.com), [quality.sup@nteq-polymer.com](mailto:quality.sup@nteq-polymer.com)  
Initial Issue Date : 20<sup>th</sup> February 2019  
Issue Date : 14<sup>th</sup> February 2022  
Expired date : 13<sup>th</sup> February 2026  
Standard : ISO/IEC 17025:2017  
Reference No. : 0303/2260

### Scope of Testing Laboratory Accreditation

Laboratory Name : STR Testing Laboratory, Nteq polymer Co., Ltd.  
 Address : 319 Moo 16, Chayangkul Road, Tambon Khampalai,  
 Amphoe Mueang, Changwat Mukdahan 49000  
 Accreditation Number : Testing - 0181  
 Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Block rubber STR	- Dirt 0.030 %w/w to 0.180 %w/w  - Volatile matter 0.10 %w/w to 1.10 %w/w  - Ash 0.10 %w/w to 0.80 %w/w  - Nitrogen 0.10 %w/w to 0.80 %w/w	Standard Malaysian Rubbers, SMR bulletin No.7, part B.4, 1992, amendment date : 1993  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p.13-15  Standard Malaysian Rubbers, SMR bulletin No.7, part B.6, 1992  Standard Malaysian Rubbers, SMR bulletin No.7, part B.7, 1992, amendment date : 1995

Initial Issue Date 20<sup>th</sup> February 2019

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : STR Testing Laboratory, Nteq polymer Co., Ltd.  
 Address : 319 Moo 16, Chayangkul Road, Tambon Khampalai,  
 Amphoe Mueang, Changwat Mukdahan 49000  
 Accreditation Number : Testing - 0181  
 Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Block rubber STR	- Rapid plasticity 29 to 41  - Plasticity retention index 66.0 to 90.0  - Mooney viscosity 62.0 ML (1+4) 100 °C to 82.0 ML (1+4) 100 °C	Standard Malaysian Rubbers, SMR bulletin No.7, part B.8, 1992, amendment date : 1994          Standard Malaysian Rubbers, SMR bulletin No.7, part B.9, 1992, amendment date : 1993

Initial Issue Date 20<sup>th</sup> February 2019

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation