

Name of Laboratory : Laboratory of NORTH EAST RUBBER PUBLIC COMPANY LIMITED  
Address : 398 Moo 4, Tambon Kokma, Amphoe Prachonchai,  
Changwat Buriram 31140  
Accreditation Number : Testing - 0186  
Contact Person : MISS SIRIWAN ANCHALEE  
Phone : 044-666928, 044-666929  
Fax : 044-666212, 044-666213  
E-mail : ner@nerubber.com, hr@nerubber.com  
Initial Issue Date : 17<sup>th</sup> May 2019  
Issue Date : 26<sup>th</sup> January 2023  
Expired date : 25<sup>th</sup> January 2027  
Standard : ISO/IEC 17025:2017  
Reference No. : 0303/1404

## Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of NORTH EAST RUBBER PUBLIC COMPANY LIMITED

Address : 398 Moo 4, Tambon Kokma, Amphoe Prachonchai,  
Changwat Buriram 31140

Accreditation Number : Testing - 0186

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Block rubber STR	- Dirt 0.010 %w/w to 0.160 %w/w  - Volatile matter 0.10 %w/w to 0.80 %w/w  - Ash 0.20 %w/w to 0.60 %w/w  - Nitrogen 0.20 %w/w to 0.60 %w/w	Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p. 4-9  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p. 10-12  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p. 13-15  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p. 16-20

Initial Issue Date 17<sup>th</sup> May 2019

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of NORTH EAST RUBBER PUBLIC COMPANY LIMITED

Address : 398 Moo 4, Tambon Kokma, Amphoe Prachonchai,  
Changwat Buriram 31140

Accreditation Number : Testing - 0186

Laboratory Status :  Permanent     Site     Temporary     Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Block rubber STR	- Rapid plasticity 27 to 50  - Plasticity retention index 40.0 to 95.0  - Mooney viscosity 50 ML (1+4) 100 °C to 90 ML (1+4) 100 °C	Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p. 21-23          Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p. 27-28

Initial Issue Date 17<sup>th</sup> May 2019

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation