

Name of Laboratory : Laboratory of BAN-KHAOSOK PARARUBBER FUND CO-OPERATIVE LTD.
Address : 55 Moo 1, Tambon Klong-Ploo, Amphoe Nong-Yai,
Changwat Chonburi 20190
Accreditation Number : Testing - 0191
Contact Person : Miss Malisa Juntakanon
Phone : 081-7827680
Fax : 038-218115
E-mail : k.haosok@hotmail.com
Initial Issue Date : 19th August 2019
Issue Date : 13rd September 2022
Expired date : 12nd September 2026
Standard : ISO/IEC 17025:2017
Reference No. : 0303/13779

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of BAN-KHAOSOK PARARUBBER FUND CO-OPERATIVE LTD.

Address : 55 Moo 1 Tambon Klong-Ploo, Amphoe Nong-Yai,
Changwat Chonburi 20190

Accreditation Number : Testing - 0191

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Block rubber STR	- Rapid plasticity 25.0 to 45.0 - Plasticity retention index 45.0 to 90.0 - Mooney viscosity 60.0 ML (1+4) 100 °C to 90.0 ML (1+4) 100 °C	Standard Malaysian Rubbers, SMR bulletin No.7, part B.8, 1992, amendment date : 1994 Standard Malaysian Rubbers, SMR bulletin No.7, part B.9, 1992, amendment date : 1993

Initial Issue Date 19th August 2019

Issue Number 2

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation