

Name of Laboratory : STR Testing Laboratory, Teck Bee Hang Co., Ltd. (Pattani Branch)
Address : 299 Moo 4, Tambon Tuyong, Amphoe Nongjik,
Changwat Pattani 94170
Accreditation Number : Testing - 0215
Contact Person : Mrs.Lisawati Chehmamah
Phone : 0-7343-7089 Ext. 91
Fax : 0-7343-7173
E-mail : lisavatee@teckbeehang.com
Initial Issue Date : 6th February 2020
Issue date : 23rd December 2022
Expired date : 22nd December 2026
Standard : ISO/IEC 17025:2017
Reference No. : 0303/19516

Scope of Testing Laboratory Accreditation

Laboratory Name : STR Testing Laboratory, Teck Bee Hang Co., Ltd. (Pattani Branch)

Address : 299 Moo 4, Tambon Tuyong, Amphoe Nongjik,
Changwat Pattani 94170

Accreditation Number : Testing - 0215

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Block rubber STR	- Dirt 0.020 %w/w to 0.160 %w/w - Ash 0.11 %w/w to 0.43 %w/w - Volatile matter 0.15 %w/w to 0.30 %w/w - Nitrogen 0.21 %w/w to 0.44 %w/w	Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 4-9 Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 10-12 Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 13-15 Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 16-20

Initial Issue Date 6th February 2020

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Testing Laboratory Accreditation

Laboratory Name : STR Testing Laboratory, Teck Bee Hang Co., Ltd. (Pattani Branch)

Address : 299 Moo 4, Tambon Tuyong, Amphoe Nongjik,
Changwat Pattani 94170

Accreditation Number : Testing - 0215

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Block rubber STR	- Rapid plasticity 31 to 50 - Plasticity retention index 50.0 to 85.0 - Mooney viscosity 55.0 ML (1+4) 100 °C to 87.0 ML (1+4) 100 °C	Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 21-23 Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 27-28

Initial Issue Date 6th February 2020

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation