

Name of Laboratory : Laboratory of SOUTHLAND RESOURCES CO., LTD. (Rayong Branch)

Address : 20/5 Moo 12, Tambon Wangwa, Amphoe Klaeng,  
Changwat Rayong 21110

Accreditation Number : Testing - 0216

Contact Person : Ms. SUTIMA SONGMUANG

Phone : 083-0787457 , 089-5989391

Fax : -

E-mail : qmr.bj3@southlandholding.com,  
lab.Bj3@southlandholding.com

Initial Issue Date : 6<sup>th</sup> February 2020

Issue Date : 13<sup>rd</sup> September 2022

Expired date : 12<sup>nd</sup> September 2026

Standard : ISO/IEC 17025:2017

Reference No. : 0303/13778

### Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of SOUTHLAND RESOURCES CO., LTD. (Rayong Branch)

Address : 20/5 Moo 12, Tambon Wangwa, Amphoe Klaeng,  
Changwat Rayong 21110

Accreditation Number : Testing - 0216

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Block rubber STR	- Dirt 0.020 %w/w to 0.080 %w/w  - Volatile matter 0.20 %w/w to 0.50 %w/w  - Ash 0.20 %w/w to 0.50 %w/w  - Nitrogen 0.20 %w/w to 0.50 %w/w	Standard Malaysian Rubbers, SMR bulletin No.7, part B.4, 1992, amendment date : 1993  Standard Malaysian Rubbers, SMR bulletin No.7, part B.5, 1992,  Standard Malaysian Rubbers, SMR bulletin No.7, part B.6, 1992  Standard Malaysian Rubbers, SMR bulletin No.7, part B.7, 1992, amendment date : 1995

Initial Issue Date 6<sup>th</sup> February 2020

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of SOUTHLAND RESOURCES CO., LTD. (Rayong Branch)

Address : 20/5 Moo 12, Tambon Wangwa, Amphoe Klaeng,  
Changwat Rayong 21110

Accreditation Number : Testing - 0216

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Block rubber STR	- Rapid plasticity 25 to 40  - Plasticity retention index 66.0 to 85.0  - Mooney viscosity 55.0 ML (1+4) 100 °C to 80.0 ML (1+4) 100 °C	Standard Malaysian Rubbers, SMR bulletin No. 7 part B.8, 1992, amendment date : 1994          Standard Malaysian Rubbers, SMR bulletin No.7, part B.9, 1992, amendment date : 1993

Initial Issue Date 6<sup>th</sup> February 2020

Issue Number 3

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation