

Name of Laboratory : Laboratory of Rubberland Products Company Limited. (Buriram Branch)  
Address : 338 Moo 1, Tambon Khokma, Amphoe Prakhonchai,  
Changwat Buriram 31140  
Accreditation Number : Testing - 0237  
Contact Person : Miss Nanta thongprakhon  
Phone : +66-4466-6201-4,090-985-9670  
Fax : +66-4466-6200  
E-mail : nanta@sritranggroup.com  
Initial Issue Date : 24<sup>th</sup> September 2020  
Issue Date : 16<sup>th</sup> September 2021  
Expired date : 15<sup>th</sup> September 2025  
Standard : ISO/IEC 17025:2017  
Reference No. : 0303/12832

### Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Rubberland Products Company Limited.

(Buriram Branch)

Address : 338 Moo 1, Tambon Khokma, Amphoe Prakhonchai,

Changwat Buriram 31140

Accreditation Number : Testing - 0237

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Block rubber STR	- Dirt 0.020 %w/w to 0.160 %w/w  - Ash 0.20 %w/w to 0.80 %w/w  - Volatile matter 0.20 %w/w to 0.80 %w/w  - Nitrogen 0.20 %w/w to 0.80 %w/w	Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 4-9  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 10-12  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 13-15  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 16-20

Initial Issue Date 24<sup>th</sup> September 2020

Issue Number 2

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Rubberland Products Company Limited.

(Buriram Branch)

Address : 338 Moo 1, Tambon Khokma, Amphoe Prakhonchai,

Changwat Buriram 31140

Accreditation Number : Testing - 0237

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Block rubber STR	- Rapid plasticity 25 to 45  - Plasticity retention index 65.0 to 90.0  - Mooney viscosity 55.0 ML (1+4) 100 °C to 95.0 ML (1+4) 100 °C	Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 21-23  Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 27-28
2	Mixtures rubber	- Dirt 0.020 %w/w to 0.160 %w/w  - Ash 0.20 %w/w to 0.80 %w/w	In – house method : STR.LA.TM.08.019 based on Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 4-9  In – house method : STR.LA.TM.08.019 based on Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 10-12

Initial Issue Date 24<sup>th</sup> September 2020

Issue Number 2

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Rubberland Products Company Limited.

(Buriram Branch)

Address : 338 Moo 1, Tambon Khokma, Amphoe Prakhonchai,

Changwat Buriram 31140

Accreditation Number : Testing - 0237

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Mixtures rubber	- Volatile matter 0.20 %w/w to 0.80 %w/w	In – house method : STR.LA.TM.08.019 based on Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 13-15
		- Nitrogen 0.20 %w/w to 0.80 %w/w	In – house method : STR.LA.TM.08.019 based on Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 16-20
		- Rapid plasticity 25 to 45	In – house method : STR.LA.TM.08.019 based on Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 21-23
		- Plasticity retention index 65.0 to 90.0	

Initial Issue Date 24<sup>th</sup> September 2020

Issue Number 2

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory of Rubberland Products Company Limited.  
(Buriram Branch)

Address : 338 Moo 1, Tambon Khokma, Amphoe Prakhonchai,  
Changwat Buriram 31140

Accreditation Number : Testing - 0237

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Mixtures rubber	- Mooney viscosity 55.0 ML (1+4) 100 °C to 95.0 ML (1+4) 100 °C	In – house method : STR.LA.TM.08.019 based on Testing for Thai Rubber (STR), Rubber Division, Department of Agriculture, 2018, p 27-28

Initial Issue Date 24<sup>th</sup> September 2020

Issue Number 2

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation