

Name of Laboratory : Kamphaengsaen Veterinary Diagnostic Center, Faculty of Veterinary Medicine,  
Kasetsart University

Address : 1 Moo 6, Tambon Kamphaengsaen, Amphoe Kamphaengsaen,  
Changwat Nakhon Pathom 73140

Accreditation Number : Testing - 0270

Contact Person : Miss Donlaya Naksisuk  
Phone : 08-5296-8685  
Fax : -  
E-mail : donlaya.nak@ku.th

Initial Issue Date : 20<sup>th</sup> January 2022

Issue Date : 20<sup>th</sup> January 2022

Expired date : 19<sup>th</sup> January 2026

Standard : ISO/IEC 17025:2017

Reference No. : 0303/184

### Scope of Testing Laboratory Accreditation

Laboratory Name : Kamphaengsaen Veterinary Diagnostic Center, Faculty of Veterinary Medicine,  
Kasetsart University

Address : 1 Moo 6, Tambon Kamphaengsaen, Amphoe Kamphaengsaen,  
Changwat Nakhon Pathom 73140

Accreditation Number : Testing - 0270

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Food	- <i>Salmonella</i> spp. Detected or Not detected/ 25 g  - Total plate count cfu/g  - Yeast and Mold count cfu/g	ISO 6579-1 : 2017 / Amd.1 : 2020  ISO 4833-1 : 2013  ISO 21527-1 : 2008
2	Feeding stuffs	- <i>Salmonella</i> spp. Detected or Not detected/ 25 g  - Total plate count cfu/g	ISO 6579-1 : 2017 / Amd.1 : 2020  ISO 4833-1 : 2013

Initial Issue Date 20<sup>th</sup> January 2022

Issue Number 1

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Kamphaengsaen Veterinary Diagnostic Center, Faculty of Veterinary Medicine,  
Kasetsart University

Address : 1 Moo 6, Tambon Kamphaengsaen, Amphoe Kamphaengsaen,  
Changwat Nakhon Pathom 73140

Accreditation Number : Testing - 0270

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
2 (cont.)	Feeding stuffs	- Yeast and Mold count cfu/g	ISO 21527-2 : 2008
		- Total aflatoxin 4 µg/kg to 40 µg/kg	AgraQuant <sup>®</sup> Total Aflatoxin Assay 4/40 competitive ELISA Romer Labs Singapore PTE. Ltd.
3	Complete feed	- Total aflatoxin 4 µg/kg to 40 µg/kg	AgraQuant <sup>®</sup> Total Aflatoxin Assay 4/40 competitive ELISA Romer Labs Singapore PTE. Ltd.

Initial Issue Date 20<sup>th</sup> January 2022

Issue Number 1

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Kamphaengsaen Veterinary Diagnostic Center, Faculty of Veterinary Medicine,  
Kasetsart University

Address : 1 Moo 6, Tambon Kamphaengsaen, Amphoe Kamphaengsaen,  
Changwat Nakhon Pathom 73140

Accreditation Number : Testing - 0270

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
4	Environmental samples from the primary production stage - Boot swab - Cloacal swab	- <i>Salmonella</i> spp. Detected or Not detected	ISO 6579-1 : 2017 / Amd.1 : 2020
5	Drinking water	- Heterotrophic plate count cfu/ml  - Coliform MPN/100 ml  - <i>Escherichia coli</i> MPN/100 ml Detected or not detected/100 ml	Standard Methods for the Examination of Water and Wastewater APHA, AWWA & WEF 23 <sup>rd</sup> ed., 2017, part 9215 B  ISO 9308-2 : 2012  ISO 9308-2 : 2012

Initial Issue Date 20<sup>th</sup> January 2022

Issue Number 1

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

### Scope of Testing Laboratory Accreditation

Laboratory Name : Kamphaengsaen Veterinary Diagnostic Center, Faculty of Veterinary Medicine,  
Kasetsart University

Address : 1 Moo 6, Tambon Kamphaengsaen, Amphoe Kamphaengsaen,  
Changwat Nakhon Pathom 73140

Accreditation Number : Testing - 0270

Laboratory Status :  Permanent  Site  Temporary  Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
6	Swine serum	- Porcine Reproductive and Respiratory Syndrome virus Negative and Positive	RealPCR NA PRRS Types 1-2 RNA Mix (IDEXX <sup>®</sup> )
7	Swine blood	- African swine fever virus Negative and Positive	RealPCR ASFV DNA Test (IDEXX <sup>®</sup> )

Initial Issue Date 20<sup>th</sup> January 2022

Issue Number 1

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation