

Name of Laboratory : Laboratory King Spray Drying Technology Co., Ltd.
Address : 30/27 Moo 1, Tambon Khok-Kham, Amphoe Mueang,
Changwat Samut Sakhon 74000
Accreditation Number : Testing - 0294
Contact Person : MISS THIKOMPORN PINSUWAN
Phone : 034-440925-6 Ext. 511, 098-547-9444
Fax : -
Email : Thikomporn.P@kingsdt.com
Initial Issue Date : 26th January 2023
Issue Date : 26th January 2023
Expired date : 25th January 2027
Standard : ISO/IEC 17025:2017
Reference No. : 0303/1405

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory King Spray Drying Technology Co., Ltd.

Address : 30/27 Moo 1, Tambon Khok-Kham, Amphoe Mueang,
Changwat Samut Sakhon 74000

Accreditation Number : Testing - 0294

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Coffee	- Aerobic Plate Count cfu/g, cfu/mL - Yeast and Mold cfu/g, cfu/mL - Coliforms MPN/g, MPN/100 mL - <i>Escherichia coli</i> MPN/g, MPN/100 mL - <i>Staphylococcus aureus</i> cfu/g, cfu/mL	FDA Bacteriological Analytical Manual online, Chapter 3, January 2001 FDA Bacteriological Analytical Manual online, Chapter 18, April 2001 FDA Bacteriological Analytical Manual online, Chapter 4, October 2020 FDA Bacteriological Analytical Manual online, Chapter 12, March 2016

Initial Issue Date 26th January 2023

Issue Number 1

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory King Spray Drying Technology Co., Ltd.

Address : 30/27 Moo 1, Tambon Khok-Kham, Amphoe Mueang,
Changwat Samut Sakhon 74000

Accreditation Number : Testing - 0294

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1 (cont.)	Coffee	- <i>Salmonella</i> spp. Detected or not detected/25 g Detected or not detected/25 mL - <i>Bacillus cereus</i> cfu/g, cfu/mL	ISO 6579-1 : 2017/ Amd. 1 : 2020 FDA Bacteriological Analytical Manual online, Chapter 14, October 2020

Initial Issue Date 26th January 2023

Issue Number 1

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation