

Name of Laboratory : Laboratory ThaiNamthip Corporation Limited (Pathumthani Plant)
Address : 55 Moo 2, Bangkok – Pathumthani Road, Tambon Bang Khayaeng,
Amphoe Mueang, Changwat Pathum Thani 12000
Accreditation Number : Testing - 0309
Contact Person : Wannisa thanahempakorn
Phone : 084-9326586
Fax : -
E-mail : Wannisa.sa@thainamthip.co.th
Website : -
Initial Issue Date : 7th November 2023
Issue Date : 7th November 2023
Expired date : 6th November 2027
Standard : ISO/IEC 17025:2017
Reference No. : 0303/18179

Scope of Testing Laboratory Accreditation

Laboratory Name : Laboratory ThaiNamthip Corporation Limited (Pathumthani Plant)

Address : 55 Moo 2, Bangkok – Pathumthani Road, Tambon Bang Khayaeng,
Amphoe Mueang, Changwat Pathum Thani 12000

Accreditation Number : Testing - 0309

Laboratory Status : Permanent Site Temporary Mobile

Item Number	Test Material / Product	Test Item / Range of Testing	Test Method / Technique Used
1	Drinking water	- Coliforms CFU/100 mL - Total Plate Count CFU/mL	ISO 9308-1 : 2014 / Amd. 1 : 2016 SM-PR-625 and SM-PR-685 Coca-Cola Company Standard
2	Ice	- Coliforms CFU/100 mL - Total Plate Count CFU/mL	ISO 9308-1 : 2014 / Amd. 1 : 2016 SM-PR-625 and SM-PR-685 Coca-Cola Company Standard
3	Finished syrup	- Yeasts and molds CFU/5 mL	SM-PR-625 and SM-PR-688 Coca-Cola Company Standard
4	Carbonated soft drink	- Yeasts and molds CFU/5 mL	SM-PR-625 and SM-PR-688 Coca-Cola Company Standard

Initial Issue Date 7th November 2023

Issue Number 1

Bureau of Laboratory Accreditation, Department of Science Service, Ministry of Higher Education, Science, Research and Innovation